

SILTECH CORP.

Safety Data Sheet Prepared in accordance with GHS standard & EC directive 91/155/EEC and amendment

Siltech C-241 SDS No: 2130.2 Last Revision Date: October 31, 2011

		Section 1. Identification
Chemical Classification: Sili	ck copolymer of d a polyoxyalkylen	e Toronto, Ontario Canada
Recommended Product Usage Silicone Surfactant Coatings		
CANUTEC 24-H		ENCY RESPONSE TELEPHONE NUMBER: (613) 996-6666 E OF A DANGEROUS GOODS EMERGENCY
	SECTI	ON 2. HAZARD(S) IDENTIFICATION
HAZARD CLASSIFICATION Eye irritation	:	Category 2
Eyenination		Category 2
GHS LABEL ELEMENTS (incl	uding precautiona	ry statements):
Symbol :		
Signal Word:		Warning
Hazard Risk Statement:	H319:	Causes serious eye irritation.
Precautionary Statement:		
Prevention:	P264:	Wash hands thoroughly after handling.
	P271:	Use in well ventilated area.
	P280:	Wear protective gloves/ protective clothing/eye protection/face protection.
Response:	P351 + P313:	IF IN EYES: Rinse cautiously with water for several minutes. Get medical advice/attention.
	P302 + P350:	IF ON SKIN: Wash with plenty of soap and water.
Storage:	P403 + P233:	Store in a well-ventilated place. Keep container tightly closed.
Disposal:	P501:	Dispose of contents/container in accordance with local / regional / national / international regulations.
<u>OTHER HAZARD</u> (risk not incl None known.	uded in classificati	ion):

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

						Classification
	Common Name or		EINECS/			according to Directive
Chemical Name	Synonym	CAS No.	ELINCS No.	<u>% (w/w)</u>	GHS Classification	67-548/EEC
2-(2-Butoxyethoxy)ethanol	Dutuldialyzaal	112-34-5	203-961-6	5 - 10	Eye irritation :	Xi
2-(2-Butoxyethoxy)ethallol	Butyldiglycol	112-34-3	203-901-0	5 - 10	Category 2	R36

Other ingredients not listed in this section are non-hazardous or business confidential.

SECTION 4. FIRST AID MEASURES

Eyes: Immediately flush with water for 15 minutes. Obtain medical attention if irritation occurs.

Skin: Remove contaminated clothing and wash with soap and water. Obtain medical attention if irritation occurs.

Inhalation: If first aid is required move victim to fresh air.

Ingestion: Do not induce vomiting and obtain medical attention immediately.

SECTION 5. FIRE FIGHTING MEASURES

<u>Suitable Extinguishing Media</u>: Carbon dioxide, dry powder, foam, or water spray. Water can be used to cool fire exposed containers. <u>Unsuitable Extinguishing Media</u>: None known.

<u>Specific Hazards Arising from the Chemical</u>: Silicon Dioxide. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.

<u>Special Protective Actions for Fire-Fighters</u>: Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Use water spray to cool fire exposed containers.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Protective Equipment: Avoid eye contact. Use personal protective equipment.

Environmental Precautions: Prevent from entering drains or water sources.

<u>Containment/Clean up</u>: Collect for disposal. Clean up remaining materials from spill with suitable absorbent. For large spills provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean area as appropriate since some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents or detergents.

SECTION 7. HANDLING AND STORAGE

<u>Handling Precautions</u>: Avoid eye and skin contact. Do not take internally. Use with adequate ventilation. Wash after handling. Exercise good industrial hygiene practice.

Storage Conditions: Keep container tightly closed and away from oxidizing materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMIT VALUES / BIOLOGICAL LIMIT VALUES:

Industrial Hygiene Standards

Ingredient 2-(2-Butoxyethoxy)ethanol CAS No. 112-34-5 Exposure Limit 8 hr limit value: 10ppm (recommended)

ENGINEERING CONTROLS:

Local Ventilation: Recommended. General ventilation: Recommended.

PERSONAL PROTECTIVE EQUIPMENT:

Respiratory protection: In the case of vapour formation use a respirator with an approved filter. Hand protection: Chemical protective gloves are recommended (Butyl rubber, Fluoro carbon rubber). Eye protection: Use proper protection - safety glasses as a minimum. Skin protection: Impervious clothing. Hygiene measures: Observe good industrial hygiene practices. Wash after handling.

<u>Note</u>: These precautions are for room temperature handling. Use at elevated temperatures or aerosol spray applications may require added precautions.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Clear Liquid	Viscosity@25°C:	800 - 2000 cps
Colour:	Colourless to Yellow	Melting/Freezing Point:	Not determined
Odour:	Faint	Initial Boiling Point:	>100°C @ 760 mmHg
Odour Threshold:	Not determined	Boiling Range:	Not determined
Flash Point:	101°C (Pensky-Martens closed cup)	Explosive Properties:	No
Flammability:	Not determined	Vapour Pressure @25°C:	Not determined
Flammability Limits:	Not determined	Vapour Density	Not determined
Auto-ignition Temperature:	Not determined	Partion Coefficient	Not determined
Decomposition Temperature:	Not determined	pH:	Not determined
Specific Gravity @25°C:	1.01	Oxidising Properties:	No
Solubility in Water:	Dispersible	Evaporation Rate:	Not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability: Stable.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: None known.

Incompatible Materials: Strong oxidizing material can cause a reaction.

<u>Hazardous Decomposition Products</u>: The following decomposition products may form during fire or at very high temperatures: Carbon Oxides, Silicon dioxide, Formaldehyde, and traces of incompletely burned carbon compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

LIKELY ROUTES OF EXPOSURE:

Respiratory:	Exposure is expected.
Oral:	Exposure is expected.
Eye, Skin:	Exposure is expected.

INFORMATION ON THE HEALTH HAZARDS:

Acute Toxicity:	
Eyes:	Direct contact may cause severe irritation.
Skin:	2-(2-Butoxyethoxy)ethanol: (LD50 Dermal - rabbit - 2700 mg/kg)
Inhalation:	No known applicable information.
Ingestion:	2-(2-Butoxyethoxy)ethanol (LD50 Oral - rat - 5660 mg/kg)
Chronic Toxicity:	
Skin:	No known applicable information.
Inhalation:	No known applicable information.
Ingestion:	No known applicable information.
Other Health Hazard	No known applicable information.
Skin Corrosion/Irritaion:	No known applicable information.
Serious Eye Damage/Irritation:	No known applicable information.
Respiratory Sensitization:	No known applicable information.
Skin Sensitization:	No known applicable information.
Carcinogenicity:	No known applicable information.
Germ Cell Mutangenicity:	No known applicable information.
Reproductive Toxicity:	No known applicable information.
Specific Target Organ: (Systemic Toxicity – Single exposure)	No known applicable information.
Specific Target Organ: (Systemic Toxicity – Repeated exposure)	No known applicable information.
Aspiration Hazard:	No known applicable information.

SECTION 12. ECOLOGICAL INFORMATION		
ECOTOXICITY:		
Environmental Effects		
Acute:	2-(2-Butoxyethoxy)ethanol : LC50 96h (Lepomis macrochirus) 1300 mg/L static	
	2-(2-Butoxyethoxy)ethanol : EC50 96h (Desmodesmus subspicatus) > 100 mg/L	
Chronic:	No known applicable information.	
PERSISTENCE AND DEGRADABILITY:		
Degradation:	In soil, siloxanes are degraded.	
Environmental Fate and Distribution:	Siloxanes are removed from water by sedimentation sewage or binding to sludge.	
	Organic solvents may evaporate into atmosphere and degrade.	
BIOACCUMULATIVE POTENTIAL :		
Bioaccumulation:	No bioaccumulation potential.	
MOBILITY IN SOIL:		
	None known.	
OTHER ADVERSE EFFECTS:		
	None known.	

SECTION 13. DISPOSAL CONSIDERATIONS

Product Disposal: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.

<u>Packaging Disposal</u>: Dispose of in accordance with local regulations.

SECTION 14. TRANSPORTATION INFORMATION

Not subject to IATA regulations.

SEA TRANSPORT (IMDG):

Not subject to IMDG code.

ROAD / RAIL

US DOT (49 CFR 172.101):	Not subject to DOT regulations.
CANADA TDG:	Not subject to TDG regulations.
ADR/RID:	Not subject to ADR/RID regulations.

SECTION 15. REGULATORY INFORMATION

CHEMICAL INVENTORIES:

TSCA:	All ingredients are on the inventory.
DSL:	All ingredients are on the inventory.
EINECS:	All ingredients are on or exempted from the inventory.
AICS:	All ingredients are on the inventory.
IECSC:	All ingredients are on the inventory.
MITI:	All ingredients are on the inventory.
KECL:	All ingredients are on the inventory.
NZIoC:	All ingredients are on the inventory.
PICCS:	All ingredients are on the inventory.

CANADA

This product has been classified in accordance with the hazard criteria of the CPR, and this MSDS contains all the information required by the CPR. WHMIS Classification: CLASS D Division 2B.

USA

EPA SARA Title III Chemical Listings:

Section 302 Extremely Hazardous Substances (40 CFR 355):	None
Section 304 CERCLA Hazardous Substances (40 CFR 302):	None
Section 311/312 Hazard Class (40 CFR 370):	Acute: No; Chronic: No; Fire: No; Pressure: No; Reactive: No
Section 313 Toxic Chemicals (40 CFR 372):	None

Supplemental State Compliance Information

California

Warning: This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: None known.

HMIS

1

1

0

Η

F

R

Massachusetts / New Jersey / Pennsylvania

No ingredients regulated by MA/NJ/PA Right-to-know Laws present.

KOREA

Classification and labelling in accordance with Industrial Safety and Health Law:		No subject chemicals.
Chemicals controlled in accordance with Toxic Chemicals Control Act:		No subject chemicals.
Hazardous Material Safety Management Act: No subject chemicals.		
Wastes Management Act: Product should be disposed of in		n accordance with Waste Management Law Article 12.

<u>EEC</u>

Labelling according to EEC Directive <u>Symbols</u>: Xi (Irritant) <u>R-phrases</u>:R36 (Irritating to eyes) <u>S-phrases</u>: S26 (In case of contact with eyes, rinse immediately with plenty of water and seek medical advice)

GERMANY

Wassergefährdungsklasse (water hazard class) : WGK 1

SECTION 16. OTHER INFORMATION

The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. This data is offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

SDS prepared by:	Raj Moonsammy
Address:	Siltech Corp
	225 Wicksteed Avenue
	Toronto, Ontario, Canada M4H 1G5
Telephone:	(416) 424-4567
First Issuing Date:	October 31, 2011
Revision No.:	1
Latest Revision Date:	October 31, 2011

This is the last page.